Rowenta Green Force Silence RO6169EA Aspirateur 4,5 L Aspirateur réservoir cylindrique Sec 900 W Sac à poussière





Marque : Rowenta

Famille de produit: Green Force Silence

Code produit: RO6169EA

Nom du produit : RO6169EA

900 W, 65 dB(A), Hygiene+, 4.5 L, Noir et Cigarillo
Rowenta Green Force Silence RO6169EA. Puissance d'alimentation max.: 900 W. Type: Aspirateur réservoir cylindrique, Type de nettoyage: Sec, Type de conteneur à poussière: Sac à poussière, Capacité poussière: 4,5 L. Technologie d'aspiration: Filtrage, Niveau sonore: 65 dB. Couleur du produit: Noir

Puissance	
Puissance d'alimentation max. *	900 W
Puissance variable	✔
Commande de l'alimentation	Mécanique
Type de prise	Type C

Design	
Capacité poussière *	4,5 L
Type *	Aspirateur réservoir cylindrique
Type de nettoyage *	Sec
Couleur du produit *	Noir
Type de tube	Télescopique
Matériau du tube	Métal
Tube flexible	✔
Type de conteneur à poussière *	Sac à poussière

représentation / réalisation	
Technologie d'aspiration *	Filtrage
Nombre d'étapes de filtration	3
Efficacité	99,98%
Usage adapté *	Maison
Surfaces de nettoyage *	Sol nu, Tapis, Sol dur, Soft floor
Niveau sonore *	65 dB
Rayon d'action	12 m

Ergonomie	
Longueur du câble	8,4 m
Enrouleur de câble automatique	✔
Indicateur Ramasse-poussière plein *	✔
Nombre de positions de stationnement/rangement	2

Ergonomie	
Garde de butoir	✔
Portable à là main	✔
Poignées quantité	1
Bouton marche/arrêt intégré	✔
Type de commande	Boutons, Rotatif
Système facile à piloter	✔
Rangement vertical	✔

Poids et dimensions	
Largeur	285 mm
Profondeur	443,6 mm
Hauteur	255,3 mm
Poids	6,28 kg
Largeur du colis	380 mm
Profondeur du colis	570 mm
Hauteur du colis	295 mm
Poids du paquet	7,86 kg

Contenu de l'emballage	
Brosses d'aspiration fournies	Brosse pour parquet
Outil multifonctions	✔
Suceur plat	✔
Nombre d'embouts	3
Brosse poussières tapisserie incluse	✔

Données logistiques	
Produits par couche de palette	4 pièce(s)
Produits par conteneur multimodal (20ft)	420 pièce(s)

Données logistiques	
Produits par conteneur multimodal (40ft)	1008 pièce(s)
Couches par palette	8 pièce(s)
Produits par palette	32 pièce(s)

3221616083073

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 22-SEP-2026. Prints or copies of Information are only valid on the printed Publication date