Beko bPRO 500 BDFN26560GP vaatwasser Vrijstaand 15 couverts





Merk : Beko **Productfamilie:** bPRO 500 **Artikelcode:** BDFN26560GP

Productnaam : BDFN26560GP

Beko bPRO 500 BDFN26560GP. Apparaatplaatsing: Vrijstaand, Productafmeting: Volledige grootte (60 cm), Deurkleur: Grijs. Aantal couverts: 15 couverts, Geluidsemissieklasse: B, Geluidsniveau: 41 dB. Energie-efficiëntieklasse: A, Waterconsumptie per cyclus: 8,9 l, Energieverbruik per 100 cycli: 55 kWu. Breedte: 598 mm, Diepte: 600 mm, Hoogte: 850 mm. Beko-technologieën (afwas): Quick & Shine®, Fast+

Design	
Apparaatplaatsing *	Vrijstaand
Productafmeting *	Volledige grootte (60 cm)
Deurkleur *	Grijs
Kleur bedieningspaneel	Zwart
Ingebouwd display *	✔
Display-type	LED
Ingebouwde water verzachter	✔
Kleur mand	Grijs
In hoogte verstelbare bovenkorf	✔
Bovenste korf instelbare hoogteniveaus	3
Bestek compartiment type	Mand
Kuip materiaal	Roestvrijstaal

Prestatie	
Geluidsniveau *	41 dB
Afwasprogramma's *	Intensive 70°C, Eco 50°C, Delicate 40°C, Quick&Shine, Express
Droogsysteem	Statisch
Aantal couverts *	15 couverts
Aantal wasprogramma's *	6
Geluidsemissieklasse *	B
Aantal temperatuurinstellingen	5
Temperatuur (max) *	70 °C
Duur cyclus *	275 min

Ergonomie	
Automatische deuropening	✔
Kinderslot	✔
Waarschuwingssignaal	✔
Zout indicator	✔
Glansmiddel indicator	✔

Energie	
Energie-efficiëntieschaal	A tot G
Energie-efficiëntieklasse *	A
Energieverbruik per cyclus	0,551 kWu
Waterconsumptie per cyclus *	8,9 l
Energieverbruik per 100 cycli *	55 kWu
Netbelasting	2100 W
Stroomverbruik (indien uit)	0,5 W
AC-ingangsspanning	220 - 240 V
AC-ingangsfrequentie	50 Hz

Gewicht en omvang	
Diepte	600 mm
Hoogte	850 mm
Gewicht	48 kg
Diepte wanneer de deur open is	115 cm
Installatie compartiment hoogte	85 cm
Breedte *	598 mm

Prestatie	
Uitgestelde start timer	✔
Vertraagde start (min)	0,5 uur
Startvertraging	24 uur
Overloopbeveiliging *	✔
Functie Fast+	✔
Reparatie-index	9

Brand-specifieke functies	
Beko-technologieën (afwas)	Quick & Shine®, Fast+

Verpakking	
Breedte verpakking	644 mm
Diepte verpakking	661 mm
Hoogte verpakking	889 mm

Overige specificaties	
Land van herkomst	Turkije

8690842768224

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 30-OCT-2026. Prints or copies of Information are only valid on the printed Publication date