Beko BDFN26450A Pose libre 14 couverts





Marque : Beko

Code produit: 7622393477

Nom du produit : BDFN26450A

Beko BDFN26450A. Placement de l'appareil: Pose libre, Taille du produit: Taille maximum (60 cm), Couleur de la porte: Anthracite. Nombre de couverts: 14 couverts, Classe d'émission sonore: B, Niveau sonore: 42 dB. Classe d'efficacité énergétique: B, Consommation d'eau par cycle: 9,5 L, Consommation d'énergie pour 100 cycles: 65 kWh. Largeur: 598 mm, Profondeur: 600 mm, Hauteur: 850 mm. Technologies Beko (lave-vaisselle): Rapide+, Quick & Shine®, SelfDry, SilentWash, SteamGloss®

Design	
Placement de l'appareil *	Pose libre
Taille du produit *	Taille maximum (60 cm)
Couleur de la porte *	Anthracite
Écran integré *	✔
Type d'écran	LED
Matériau de la cuve	Acier inoxydable
représentation / réalisation	
Niveau sonore *	42 dB
Programmes de lavage *	Auto, Delicate 40°C, Eco 50°C, Intensive 70°C, Mini, Quick&Shine
Système de séchage	Statique
Nombre de couverts *	14 couverts
Nombre de programmes de lavage *	6
Classe d'émission sonore *	B
Durée de cycle *	260 min
Minuterie, départ différé	✔
Départ différé	24 h
Fonction SelfDry	✔
Nombre de zones de pulvérisation	3
Fonction de nettoyage de tablette	✔
Ergonomie	
Ouverture automatique de la porte	✔
Sécurité enfant	✔

Puissance	
Classe d'efficacité énergétique *	B
Consommation d'énergie par cycle	0,645 kWh
Consommation d'eau par cycle *	9,5 L
Consommation d'énergie pour 100 cycles *	65 kWh
Consommation d'énergie (mode veille)	1 W
Consommation électrique (arrêt)	0,5 W
Tension d'entrée AC	220 - 240 V
Fréquence d'entrée AC	50 Hz
Indice d'efficacité énergétique (EEI)	37,9
Indice d'efficacité de lavage (EU 2017/1369)	1,13
Indice d'efficacité de séchage (EU 2017/1369)	1,07
Poids et dimensions	
Profondeur	600 mm
Hauteur	850 mm
Poids	45 kg
Largeur *	598 mm
Caractéristiques spéciales	
Technologies Beko (lave-vaisselle)	Rapide+, Quick & Shine®, SelfDry, SilentWash, SteamGloss®
Informations sur l'emballage	
Largeur du colis	644 mm

Puissance	
Plage d’efficacité énergétique	A à G

Informations sur l'emballage	
Profondeur du colis	661 mm
Hauteur du colis	889 mm
Poids du paquet	47,8 kg

8690842700651

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 06-OCT-2026. Prints or copies of Information are only valid on the printed Publication date