Whirlpool

Whirlpool FFWDB 964489 WV EE machine à laver avec sèche linge Pose libre Charge avant Blanc





Marque : Whirlpool

Code produit: 869991681390

Nom du produit : FFWDB 964489 WV EE

Whirlpool FFWDB 964489 WV EE. Type de chargement: Charge avant, Placement de l'appareil: Pose libre, Couleur du produit: Blanc. Capacité nominale (lavage et séchage): 6 kg, Vitesse d'essorage maximale: 1400 tr/min, Classe d'efficacité d'essorage: B. Longueur du câble: 1,2 m. Classe d'efficacité énergétique (lavage): A, Classe d'efficacité énergétique (lavage et séchage): C, Consommation d'eau de lavage: 50 L. Technologies Whirlpool (soins du linge): FreshCare+





Design	
Placement de l'appareil *	Pose libre
Type de chargement *	Charge avant
Couleur du produit *	Blanc
Emplacement charnière de porte *	Gauche
Type de commande	Rotatif, Tactile
Écran integré *	✔
Technologie de convertisseur *	✔

représentation / réalisation	
Classe d'efficacité d'essorage *	B
Capacité nominale (lavage) *	9 kg
Durée de cycle de lavage	228 min
Durée de cycle lavage et séchage	615 min
Programmes de lavage *	20°C, Eco 40-60°C
Capacité nominale (lavage et séchage) *	6 kg
Minuterie, départ différé *	✘
Fonction anti-plis *	✘
Vitesse d'essorage minimale	1400 tr/min
Classe d'émission sonore *	B
Niveau sonore (essorage) *	75 dB
Vitesse d'essorage maximale *	1400 tr/min
Capteur d'humidité	✔

Ergonomie	
Sécurité enfant *	✔
Indicateur de l'état d'avancement du programme	✔

Puissance	
Classe d'efficacité énergétique (lavage) *	A
Plage d'efficacité énergétique	A à G
Classe d'efficacité énergétique (lavage et séchage) *	C
Consommation d'eau de lavage *	50 L
Consommation d'énergie pour 100 cycles (lavage) *	40 kWh
Consommation d'eau de lavage et séchage *	48 L
Consommation d'énergie pour 100 cycles (lavage et séchage) *	253 kWh
Charge connectée	1850 W
Tension d'entrée AC	220 - 240 V
Fréquence d'entrée AC	50 Hz
Actuel	10 A

Caractéristiques spéciales	
Technologies Whirlpool (soins du linge)	FreshCare+

Ergonomie	
Longueur du câble	1,2 m
Indication du temps restant *	✕

Poids et dimensions	
Largeur	595 mm
Profondeur *	540 mm
Hauteur	850 mm
Poids	66 kg

8003437057380

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 12-NOV-2026. Prints or copies of Information are only valid on the printed Publication date